L Number	Hits	Search Text	DB	Time stamp
-	3	input adj interface.ti,ab. and semiconductor adj device.ti,ab. and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO;	2003/05/12 12:45
-	2	input adj interface.ti. and semiconductor adj device.ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/16 18:32
-	18	input adj interface.ti,ab. and semiconductor adj device.ti.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/16 18:33
_	1428	(257/99).CCLS.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:28
-	26	((257/99).CCLS.) and input and output and display	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:29
-	7	((257/99).CCLS.) and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:32
_	10	370/\$6.ccls. and semiconductor adj substrate and integrated and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:52
-	1889	((257/99) or (370/395) or (370/348)).CCLs.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/10/28 18:53
_	10	(((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 18:54
-	8	(((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3 and (semiconductor or substrate or die or chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/28 18:55
_	2	("5914955").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 14:19
_	0	type near5 multiplex\$3 near2 data near5 demultiplex\$3 near6 single	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 14:21
-	0	multiplex\$3 near2 data near5 demultiplex\$3 near6 single adj type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 14:22

-	0	multiplex\$3 near2 data near15	USPAT;	2003/05/05
İ		demultiplex\$3 near6 single near12 type	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
_	0	multiplex\$3 near2 data near15	IBM_TDB	2002/05/05
		demultiplex\$3 near6 single near15 type	USPAT;	2003/05/05
		demarcipients heard single hearts type	US-PGPUB; EPO; JPO;	14:23
			DERWENT;	
			IBM TDB	
_	87	multiplex\$3 near2 data near15	USPAT;	2003/05/05
		demultiplex\$3 near6 single	US-PGPUB;	14:25
			EPO; JPO;	
			DERWENT;	
		/multi-inlands 0 1 15	IBM_TDB	
-	0	(multiplex\$3 near2 data near15	USPAT;	2003/05/05
		demultiplex\$3 near6 single) and rostoker.in.	US-PGPUB;	14:24
	İ	TOSCORET:III:	EPO; JPO; DERWENT;	
			IBM TDB	
-	5	semiconductor.ti,ab,clm. and (multiplex\$3	USPAT;	2003/05/05
		near2 data near15 demultiplex\$3 near6	US-PGPUB;	14:38
		single)	EPO; JPO;	
			DERWENT;	
	_	[, , , , , ,	IBM_TDB	
-	0	semiconductor.ti,ab,clm. and compressed	USPAT;	2003/05/05
		near15 decompressed near12 data near12	US-PGPUB;	14:39
		(different or various) near12 type	EPO; JPO;	
			DERWENT;	
_	8	compressed near15 decompressed near12	IBM_TDB USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:39
		type	EPO; JPO;	11.33
			DERWENT;	
	_		IBM_TDB	
-	0	Tomprosou modific decomplessed medit	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:40
		type and (semiconductor or chip or die)	EPO; JPO;	
			DERWENT; IBM TDB	
_	3	compress\$3 near15 decompress\$3 near12	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:41
		type and (semiconductor or chip or	EPO; JPO;	
		die).ti,ab,clm.	DERWENT;	
			IBM_TDB	
_	24	compress\$3 near15 decompress\$3 near12	USPAT;	2003/05/05
		data near12 (different or various) near12	US-PGPUB;	14:50
		type and (semiconductor or chip or die)	EPO; JPO;	
			DERWENT; IBM TDB	
	o	maestro-1 near12 compression near12	USPAT;	2003/05/05
		decompression near12 data near12 type	US-PGPUB;	14:51
		•	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
_	0		USPAT;	2003/05/05
!		decompression) near12 data near12 type	US-PGPUB;	14:51
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	("6477185").PN.	USPAT;	2003/05/07
			US-PGPUB;	13:40
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
-	1	("6553147").PN.	USPAT;	2003/05/07
			US-PGPUB;	13:40
			EPO; JPO; DERWENT;	
			IBM TDB	
	<u>l</u>		1211 122	l

-	2 ("6525775").PN.	USPAT; US-PGPUB;	2003/05/07 13:41
		EPO; JPO; DERWENT; IBM TDB	
-	2 ("6356312").PN.	USPAT; US-PGPUB;	2003/05/07 13:41
		EPO; JPO; DERWENT; IBM TDB	
-	7 (("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 13:41
-	((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and input adj terminal and (compressed or compression) near6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 13:53
	data and (multiplexing or multiplex or multiplexed) and (demultiplex or demultiplexing or demultiplexed) near6 bus	IBM_TDB	
	((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and input adj terminal and (compressed or compression) near6 data and (multiplexing or multiplex or multiplexed) and (demultiplex or demultiplexing or demultiplexed) near6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:54
	bus and semiconductor ((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and (semiconductor or chip or die)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 15:21
- 53	demultiplex\$3 near6 single and 348/\$6.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 15:23
	demultiplex\$3 near6 single and 348/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or transmission) near6 bus	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:28
	demultiplex\$3 near6 single and 348/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or transmission) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:29
-	(de-multiplex\$3 demultiplex\$3) near6 single and 348/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:30
	transmission) and bus (de-multiplex\$3 demultiplex\$3) near6 single and 348/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/07 15:31
- ((de-multiplex\$3 demultiplex\$3) near4 "into" near6 single and 348/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/07 15:32

TCs

-	0	(== marp-onto aomar-orpronto compresso 1/	USPAT;	2003/05/07
		near4 "into" near6 single and	US-PGPUB;	15:32
	1	348/\$6.ccls. and (substrate or	EPO; JPO;	
		semiconductor or die or chip) and input	DERWENT;	
		near3 terminal and output near3 terminal	IBM TDB	
_	0	(de-multiplex\$3 demultiplex\$3 compres\$4)	USPAT;	2002/05/07
}		near4 "into" near6 single and		2003/05/07
			US-PGPUB;	15:32
		348/\$6.ccls.	EPO; JPO;	
			DERWENT;	
İ			IBM TDB	
-	0	(de-multiplex\$3 demultiplex\$3 compres\$4)	USPAT;	2003/05/07
		near4 "into" near6 single	US-PGPUB;	15:32
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
_	20	demultiplex\$3 near6 single and	USPAT;	2002/05/07
		348/\$6.ccls. and (substrate or		2003/05/07
			US-PGPUB;	16:15
		semiconductor or die or chip)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	8	mpeg-4 and (demux or demultiplex\$3) near6	USPAT;	2003/05/07
		single	US-PGPUB;	17:02
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
-	8	"mpeg-4"\$2 and (demux or demultiplex\$3)	USPAT;	2003/05/07
		near6 single		1
		incuro singre	US-PGPUB;	17:03
			EPO; JPO;	
ļ :			DERWENT;	
			IBM_TDB	
-	20	"mpeg-4"\$2 and (demux or demultiplex\$3)	USPAT;	2003/05/07
1		near12 single	US-PGPUB;	17:04
			EPO; JPO;	
			DERWENT;	
			IBM TDB	İ
_	0	(("6477185").PN.) and decompress\$3	USPAT;	2003/05/08
	Ū	did decomplesses	US-PGPUB;	10:11
			•	10:11
			EPO; JPO;	
			DERWENT;	
		/UC477105U) PW	IBM_TDB	
_	2	("6477185").PN.	USPAT;	2003/05/09
			US-PGPUB;	15:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	decompression near4 data near6	USPAT;	2003/05/09
		demultiplex\$3	US-PGPUB;	16:25
			EPO; JPO;	
			DERWENT;	
_	1	single nears bug nears data many	IBM_TDB	0000 (05 (00
	1	single near5 bus near6 data near2 type	USPAT;	2003/05/09
		and compress\$3 and demultiplex\$3	US-PGPUB;	16:28
			EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	
-	0	single adj bus near6 (type near2 data)	USPAT;	2003/05/09
		and audio and video	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
	18	single adj bus near6 (type near2 data)	IBM_TDB	2002/05/00
	10	bringre adj bus Heard (type Hearz data)	USPAT;	2003/05/09
			US-PGPUB;	16:35
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	į
-	2	separate adj bus near6 (type near2 data)	USPAT;	2003/05/09
			US-PGPUB;	16:50
			EPO; JPO;	-0.00
			DERWENT;	
			IBM_TDB	

_	3	separate adj bus near10 (type near2 data)	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 16:52
			DERWENT;	
-	78	(the second state (bub ficulty addito)	<pre>IBM_TDB USPAT;</pre>	2003/05/09
		and (multiplex\$3 or compress\$3)	US-PGPUB; EPO; JPO;	16:54
			DERWENT;	
-	6	\= == modify redify modify	IBM_TDB USPAT;	2003/05/09
		and (multiplex\$3 or compress\$3) and input near6 output near6 terminal	US-PGPUB; EPO; JPO;	17:05
			DERWENT;	
_	60	(bus near3 video) near20 (bus near3	<pre>IBM_TDB USPAT;</pre>	2003/05/09
		audio).ti,ab,clm.	US-PGPUB; EPO; JPO;	17:06
			DERWENT;	
_	5	(bus near3 video) near20 (bus near3	IBM_TDB USPAT;	2003/05/09
		audio).ti,ab,clm. and (compression or compressed or multiplexing or	US-PGPUB;	17:10
		multiplexed).ti,ab,clm.	EPO; JPO; DERWENT;	
_	22	(bus nearl video) near12 (bus near1	IBM_TDB USPAT;	2003/05/09
		audio) and (compression or compressed or multiplexing or multiplexed)	US-PGPUB;	17:11
		multiplexing of multiplexed)	EPO; JPO; DERWENT;	
-	12		IBM_TDB USPAT;	2003/05/09
		audio) and (compression or compressed or multiplexing or multiplexed).ti,ab,clm.	US-PGPUB;	17:17
		multiplexing of multiplexed).cl, ab, clm.	EPO; JPO; DERWENT;	
_	0	video adj bus near15 frequency adj (range	IBM_TDB USPAT;	2003/05/09
		or domain) near15 audio adj bus	US-PGPUB;	17:18
			EPO; JPO; DERWENT;	
_	0	video adj bus near15 frequency near15	IBM_TDB USPAT;	2003/05/09
į		audio adj bus	US-PGPUB; EPO; JPO;	17:43
			DERWENT;	
-	0	 mpeg\$2 near6 standard near6 video adj bus	IBM_TDB USPAT;	2003/05/09
		_	US-PGPUB; EPO; JPO;	17:44
			DERWENT;	
-	411	mpeg-4.ti,ab,clm.	<pre>IBM_TDB USPAT;</pre>	2003/05/09
			US-PGPUB; EPO; JPO;	17:45
			DERWENT;	
-	0	ing of the contract and the contract and	IBM_TDB USPAT;	2003/05/09
		bus.ti,ab,clm.	US-PGPUB; EPO; JPO;	17:46
			DERWENT;	
-	0	mpeg-4.ti,ab,clm. and video adj bus and	<pre>IBM_TDB USPAT;</pre>	2003/05/09
		audio adj bus	US-PGPUB; EPO; JPO;	17:46
		4	DERWENT;	. • •
-	О	mpeg-4.ti,ab,clm. and video adj bus	<pre>IBM_TDB USPAT;</pre>	2003/05/09
			US-PGPUB; EPO; JPO;	17:46
			DERWENT;	
			IBM_TDB	

	,			
_	21	mpeg\$2 and audio adj bus and video adj bus	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 17:48
			DERWENT; IBM TDB	
-	7	<pre>mpeg\$2 and audio adj bus and (zoomed adj video or zv)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/05/09 18:17
_	2	("5914955").PN.	DERWENT; IBM_TDB USPAT;	2003/05/09
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	19:21
-	8709	ram and controller and driver and decoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:24
_	10	(US-5805488-\$ or US-5355508-\$ or US-5914955-\$ or US-5537229-\$ or US-6006105-\$ or US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or (US-20020186694-\$).did.	USPAT; US-PGPUB	2003/05/09 19:23
	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 19:31
-	19334	ram and controller and decoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:25
_	4	((US-5805488-\$ or US-5355508-\$ or US-5914955-\$ or US-5537229-\$ or US-6006105-\$ or US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or (US-20020186694-\$).did.) and (ram and controller and decoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 19:46
_	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 19:32
_	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram and (decode or decoder or decoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:33
_	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram and (decode or decoder or decoding) and (driving or driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:34
-	3	display.ti,ab,clm. and input adj terminal near5 compressed adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:38
-	1245	<pre>mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/09 19:55

-	151	<pre>mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or</pre>	USPAT; US-PGPUB;	2003/05/09	
		driver) and controller and input adj	EPO; JPO;	19:54	
		terminal	DERWENT;		
			IBM_TDB		
_	76	Traffic and appears and (accorded to accorded	USPAT;	2003/05/09	
		or decoding) and ram and (driving or	US-PGPUB;	19:50	
		driver) and controller and input adj	EPO; JPO;		
		Seminar and Semiconductor	DERWENT; IBM_TDB		
_	3	mpeg\$2 and display and (decode or decoder	USPAT;	2003/05/09	i
		or decoding) and ram and (driving or	US-PGPUB;	19:50	-
		driver) and controller and input adj	EPO; JPO;		
		terminal and semiconductor and electrode near10 display	DERWENT;		İ
_	0	(370/395).CCLS.	IBM_TDB	2002 (25 (20	
		(370/333).0013.	USPAT; US-PGPUB;	2003/05/09	
			EPO; JPO;	19.34	
			DERWENT;		
			IBM_TDB		
-	484	(370/348).CCLS.	USPAT;	2003/05/09	
			US-PGPUB;	19:55	
			EPO; JPO; DERWENT;		
			IBM TDB		
_	0	(mpeg\$2 and display and (decode or	USPAT;	2003/05/09	
		decoder or decoding) and ram and (driving	US-PGPUB;	19:55	-
		or driver) and controller and input adj	EPO; JPO;		
		terminal) and ((370/348).CCLS.)	DERWENT;		
_	95	mpeg\$2 and display and (decode or decoder	IBM_TDB USPAT;	2003/05/09	
		or decoding) and ram and (driving or	US-PGPUB;	19:56	
		driver) and controller and 370/\$6.ccls.	EPO; JPO;	13.30	
			DERWENT;		-
_	2	mpeg\$2 and display and (decode or decoder	IBM_TDB		ı
	-	or decoding) and ram and (driving or	USPAT; US-PGPUB;	2003/05/09	
		driver) and controller and 370/\$6.ccls.	EPO; JPO;	20:50	١
		and input adj terminal	DERWENT;		-
	1.		IBM_TDB		İ
_	15	(driver or driving adj section) near12	USPAT;	2003/05/09	-
		electrode near12 display adj section	US-PGPUB;	20:52	
h			EPO; JPO; DERWENT;		
			IBM TDB		
-	0	RAM near12 LCD adj display near12 read	USPAT;	2003/05/10	
		near12 (repeat or repeated or repeatedly	US-PGPUB;	11:05	
		or twice or phase)	EPO; JPO;		
			DERWENT; IBM_TDB		ļ
-	25	RAM near12 LCD adj display near12 read	USPAT;	2003/05/10	
		·	US-PGPUB;	11:12	
			EPO; JPO;		
			DERWENT;		
_	0	RAM near12 LCD adj display near12 phase	<pre>IBM_TDB USPAT;</pre>	2003/05/10	
		aa, aropia, neariz phase	US-PGPUB;	11:14	
			EPO; JPO;	· - ·	
			DERWENT;		
_	56	DAM near12 dignlar near12 abase	IBM_TDB	0000 (05 (15	
] 30	RAM near12 display near12 phase	USPAT;	2003/05/10	
	1		US-PGPUB; EPO; JPO;	11:14	
		j	DERWENT;		
••		4	IBM_TDB		
_	8	RAM near12 (read or reading) near12	USPAT;	2003/05/10	
		display near12 phase	US-PGPUB;	12:39	
			EPO; JPO; DERWENT;		
			IBM TDB		
					- 1

0	DAM nearly restored manual displantation	T	1
	phase restored nearly display nearly		2003/05/10
	buase		12:39
		DERWENT;	
		IBM_TDB	
/29	RAM nearl2 restored	USPAT;	2003/05/10
		US-PGPUB;	12:39
		EPO; JPO;	
		DERWENT;	
		IBM TDB	1
8	(RAM near12 restored) and "epson"	USPAT;	2003/05/10
		US-PGPUB;	12:43
		EPO; JPO;	
		DERWENT;	
		IBM TDB	1
146	tamura.in. and "epson"	USPAT;	2003/05/10
		US-PGPUB:	12:44
		1	
		DERWENT;	1
		IBM TDB	
19	tamura.in. and tsuyoshi.in. and "epson"	USPAT;	2003/05/10
	<u>-</u>	US-PGPUB:	12:50
		·	
		IBM TDB	
3	tamura.in. and tsuyoshi.in. and "epson"		2003/05/10
	and "two times"		12:51
6	(("6441813") or ("5630204") or	_	2003/05/12
	("6477185") or ("5852428") or ("6147712")		11:36
	or ("5631710")).PN.		1
		phase 729 RAM near12 restored 8 (RAM near12 restored) and "epson" 146 tamura.in. and "epson" 19 tamura.in. and tsuyoshi.in. and "epson" 3 tamura.in. and tsuyoshi.in. and "epson" and "two times" 6 (("6441813") or ("5630204") or ("6147712")	### Page ### Page #### Page #### Page ### Page #### Page #### Page #### Page #### Page #### Page